

CTX50 UN-SEALED RECEPTACLE CRIMP TERMINAL

1.0 SCOPE


This specification details the crimping information and common practices of general crimps for the Molex CTX50 Un-Sealed Receptacle Terminal. Please refer to sales drawing SD-560023-001 for additional part information. The information in this document is for reference and benchmark purposes only. Customers are required to complete their own validation testing if tooling and/or wire is different than what is shown in this specification.

All measurements are in millimeters and Newtons unless specified otherwise.

Terminals shown in this document are generic representations. They are not intended to be an image of any terminal listed in the scope.

2.0 PRODUCT DESCRIPTION

DEFINITION OF TERMS:



E2 ECR/ECN INFORMATION: EC No: 113841 DATE: 02/23/2017	CTX50 UN-SEALED RECEPTACLE APPLICATION SPECIFICATION				
DOCUMENT NUMBER:	CREATED / REVISED BY:	CHECKED BY:	APPROVED BY:		
AS-560023-001	J.Burgio	J.Burgio K.Putnam T.Smith			
		TEMPLA	TE FILENAME: AS-34735-002.docm Rev.B		



molex APPLICATION SPECIFICATION

DEFINITIONS OF TERMS (CONT.):




Figure 2




Figure 3

STRAIGHTNESS (1) (2) (3) (4)


The crimping process may result in some bending between the conductor crimp and the terminal box. This bending must not exceed the limits shown in Table 3.

ECR/ECN INFORMATION: ECR/ECN INFORMATION: ECR/ECN INFORMATION: DATE: 02/23/2017	CTX50 UN-SEALED RECEPTACLE APPLICATION SPECIFICATION				
DOCUMENT NUMBER:	CREATED / REVISED BY:	CHECKED BY:	APPROVED BY:		
AS-560023-001	J.Burgio	K.Putnam	T.Smith		
		TEMPLA	TE Ell ENAME: AC 24725 002 doom Boy B		



BELLMOUTH (FLARE) 5 6

The flare that is formed on the edge of the conductor crimp acts as a funnel for the wire strands. This funnel reduces the possibility that a sharp edge on the conductor crimp will cut or nick the wire strands. A rear bellmouth is required on the conductor crimp. CAUTION: Excessively large/small bellmouth may affect mechanical / electrical performance. See Table 3 for bellmouth specifications.



CUT-OFF TAB (7)

This is the material that protrudes outside the insulation crimp after the terminal is separated from the carrier strip. A cut-off tab that is too long may expose a terminal outside the housing; it may fail electrical spacing requirements. See Table 3 for cut-off tab length specifications.





Figure 5

CONDUCTOR BRUSH ®

The conductor brush is made up of the wire strands that extend past the conductor crimp into the transition area towards the terminal box. This helps ensure that mechanical compression occurs over the full length of the conductor crimp. The conductor brush should not extend past the transition area into the terminal box or above the conductor crimp/transition wall height (whichever is tallest). CAUTION: Excessive conductor brush extended above the transition/crimp area can cause terminal retention issues inside plastic cavity.



E2	EC No: 113841 DATE: 02/23/2017	CTX50 UN-S APPLICATI	3 of 19		
DOCUMENT NUMBER:		CREATED / REVISED BY: CHECKED BY: APPROVED		<u>ED BY:</u>	
AS-560023-001		J.Burgio K.Putnam T.S		T.Sm	nith



CONDUCTOR STRIP LENGTH (9)

The strip length is determined by measuring the exposed conductor strands after the insulation is removed. The strip length determines the conductor brush length when the end-of-insulation position is centered in the transition area between conductor and insulation crimps. See Table 3 for the length requirement

CAUTION: Care must be taken to ensure that all conductor strands are equal in length (no diagonally cut strands). No scratched or missing strands are permitted. The insulation cut must be uniform (no diagonally cut insulation and no extrusions of insulation).

CONDUCTOR CRIMP

This is the metallurgical compression of a terminal around the wire's conductor. This connection creates a common electrical path with low resistance and high current carrying capabilities.

CONDUCTOR CRIMP HEIGHT/WIDTH 10 11

The conductor crimp height is measured from the top surface of the formed crimp to the bottom most radial surface. The conductor crimp width is measured across the widest portion of the crimp. Do not include the extrusion points in these measurements. Measuring crimp height/width is a quick, non-destructive way to help ensure the correct metallurgical compression of a terminal around the wire's conductor and is an excellent attribute for process control. The crimp height/width specification is typically set as a balance between electrical and mechanical performance over the complete range of wire stranding and coatings, and terminal materials and plating. Although it is possible to optimize a crimp height/width to individual wire strands and terminal plating, one crimp height/width specification is normally created. See Table 2 for crimp height/width specifications.

INSULATION CRIMP HEIGHT/WIDTH

Insulation crimp heights/widths are specified in Table 2. CTX50 Un-Sealed Receptacle Terminals are designed to accommodate multiple wire sizes. Although within the terminal range, an insulation grip may not completely surround the wire, an acceptable insulation crimp will still be provided.

The insulation crimp should be visually evaluated to confirm it provides adequate compression on the wire. It should also be evaluated by sectioning through the center of the crimped insulation grip. The grip should compress the insulation but not pierce it or otherwise damage the integrity of the insulation. The grip should not contact the conductors under any circumstance. Mechanically, the insulation grip should withstand repeated flexing of the wire as shown in Figure 7 without pulling out of the grip. The wire is flexed 5 times each in two perpendicular planes in the following sequence: b to a, a to b, b to c, c to b, then repeat (see Figure 7).




Figure 7

Once the optimum setting for an insulation crimp height is determined, it is important to document it. The operator can then check it as part of the setup procedure.


ECR/ECN INFORMATION: ECR/ECN INFORMATION: ECR/ECN INFORMATION: DATE: 02/23/2017	CTX50 UN-SEALED RECEPTACLE APPLICATION SPECIFICATION				
DOCUMENT NUMBER:	CREATED / REVISED BY:	CHECKED BY:	APPROVED BY:		
AS-560023-001	J.Burgio	K.Putnam	T.Smith		
		TEMPLA	TE EII ENAME: AC 2472E 002 doom Boy B		



EXTRUSIONS (ANVIL FLASH / BURR) (14)


These are the small flares that form on the bottom of the conductor crimp resulting from the clearance between the punch and anvil tooling. If the anvil is worn or the terminal is over-crimped, excessive extrusion can result.

An uneven extrusion may also result if the punch and anvil are misaligned, if the feed is misadjusted or if there is insufficient or excessive terminal drag (see Figure 8 and Table 3).



INSULATION GRIP STEP (15)

The insulation grip step is the designed offset between the conductor grip and the insulation grip which must be met by the crimp process (see Figure 9 and Table 3).



END-OF-INSULATION POSITION

This is the location of the insulation in relation to the transition area between the conductor and insulation crimps. Equal amounts of the conductor strands and insulation needs to be visible in the transition area. The end-of insulation position ensures that the insulation is crimped along the full length of the insulation crimp and that no insulation gets crimped under the conductor crimp. The end-of-insulation position is set by the wire stop and strip length for bench applications. For automatic wire processing applications the end-of-insulation position is set by the in/out press adjustment (see Figure 2).

WING DISSYMMETRY (16)

Wing dissymmetry is the crimped offset between the ends of core wings (see Figure 10 and Table 3).

E2	ECR/ECN INFORMATION: EC No: 113841 DATE: 02/23/2017	CTX50 UN-S APPLICATI	5 of 19		
DOCUMENT NUMBER:		CREATED / REVISED BY: CHECKED BY: APPROVE		ED BY:	
AS-560023-001		J.Burgio K.Putnam T.		T.Sm	ith



SPACE BETWEEN WING TIPS AND CRIMP BOTTOM ①

The space between the crimp wing tips and the bottom of the crimp is designed to assure no contact between wing tips and the crimp bottom. Shortest distance is measured. (See Figure 10 and Table 3).




Figure 10

CRIMP BULGE (18)

Caution needs to be taken with the crimp tooling to prevent a bulge in the transition area during crimping. The transition should generally flow smoothly from the conductor crimp to the terminal box. Any bulge must not exceed the width shown in Table 3. See Figure 11 for an example of crimp bulge.




Figure 11




Figure 11

E2	EC No: 113841 DATE: 02/23/2017	CTX50 UN-S APPLICATI	6 of 19		
DOCUMENT NUMBER:		CREATED / REVISED BY:	CHECKED BY: APPROVED		<u>/ED BY:</u>
AS-560023-001		J.Burgio	K.Putnam	m T.Smit	




BOX DEFORMATION

Care must be taken to ensure that the terminal box is not deformed during crimping and handling. Any deformation of the terminal box must not exceed the tolerances specified in sales drawing SD-560023-0012.

WIRE CONDITION AFTER CRIMP

The wire, after crimping, should not have any scratches, grooves or dents. At a minimum, check the condition of the wire on a sample length of 26mm as shown in Figure 12.



this region of the wire after crimping

Figure 12

3.0 PRODUCT SPECIFICATIONS

DEVISION: ECD/ECN INFORMATION:

Table 1

Terminal Family	Gender	Sealing	Plating	Special Characteristics	Grip Code	Wire Size	Insulation Diameter Range
			Sn	Standard Performance Tin	00	0.13 mm²	0.75 – 1.05
CTX50	Receptacle	Un-Sealed	Sn	Standard Performance Tin	М	0.22 mm ²	0.95 – 1.20
			Sn	Standard Performance Tin	L	0.35 mm²	1.10 – 1.40

EC No: 113841 DATE: 02/23/2017	CTX50 UN-SI APPLICATI		
DOCUMENT NUMBER:	CREATED / REVISED BY:	CHECKED BY:	APPROVED BY:
AS-560023-001	J.Burgio	K.Putnam	T.Smith
		TEMPLA	TE FILENAME: AS-34735-002.docm Rev.B

CLIEFT No.



Table 2

	Molex Product Attribute		Va	Validated Wire		Conductor Barrel		Insulation Barrel		Pull Out
Grip Size	Part Number	Special Characteristics	Conformity Standard	Wire Type	Wire Size	CCH ± 0.03	CCW ± 0.03	ICH ± 0.05	ICW ± 0.05	Force (N) MIN
S	560023- 0422/0424	Standard Performance Tin	GMW15626 Ford ES-BR-1A348- AA ISO 6722 LV112-4	FLCUSN03RY	0.13mm ² •	0.53	0.83	1.20	1.10	35
S	560023- 0444/0445	Standard Performance Tin	GMW15626 Ford ES-BR-1A348- AA ISO 6722 LV112-4	FLCUSN03RY	0.13mm ²	0.53	0.83	1.20	1.10	50
М	560023- 0421/0423	Standard Performance Tin	ISO6722 RoHS	CHFUS	0.22mm ² 2	0.69	1.04	1.25	1.15	40
L	560023-	Standard	DIN EN13602 GMW15626 ISO 6722	FLR2X A3ZH	0.35mm² €	0.67±0.02	1.04	1.53	1.35	50
	0448/0450	Performance Tin	VW 60330 LV214	FLR13Y-A	0.35mm ² 6					

The above specifications are guidelines to an optimum crimp. Crimp heights/widths are applicable for punch/anvil tooling shown in Figures 15 - 19.

Pull force should be measured with no influence from the insulation crimp.

Customers are required to complete their own validation testing if tooling and/or wire is different than what is shown in this specification.

- Validated to USCAR-21 Rev 2, Oct 2008; Sections 4.3 & 4.5.2.
- 2 Validated to PSA STE 96 34115099 Rev. 2007-2008; Sections 5.6.4, 5.6.5.2, 5.6.5.4, 5.6.6.1, 5.6.6.2, 5.6.7.1
- **Solution** Validated to USCAR-21 Rev 2, Oct 2008; Sections 4.3, 4.4 & 4.5.2.
- New "S" Grip Validated to USCAR-21 Rev 3, Nov. 2014. Sections 4.3, 4.4 & 4.5.2.
- Validated to AK LV214, Mar 2010; Sections PG0 & PG10. VW 60330 Section 4.3.4 & VW 75174-2 Section 3.4.

REVISION:	ECR/ECN INFORMATION:	0-111			SHEET No.
E2	EC No: 113841	CTX50 UN-SEALED RECEPTACLE APPLICATION SPECIFICATION		8 of 19	
	DATE: 02/23/2017	APPLICATION SPECIFICATION 0			0 01 19
DOCUMENT NUMBER:		CREATED / REVISED BY: CHECKED BY: APPROVED		<u>ED BY:</u>	
AS-560023-001		J.Burgio K.Putnam T.		T.Sm	nith



molex APPLICATION SPECIFICATION

Table 3

Specifications						
Balloon #	Feature		Requirement			
1	Bend Up		1° MAX			
2	Bend Down		1° MAX			
3	Twisting (L-R)		2° MAX			
4	Rolling		N/A			
5a	Rear Bell Mouth	Grip Code S Grip Code S (New)* Grip Code M Grip Code L	0.50 ± 0.10 0.22 ± 0.10 0.50 ± 0.10 0.70 ± 0.05			
5b	Conductor Crimp Angle Horizontal Length	Grip Code S (New)*	1.50 ± 0.50			
5c	Conductor Crimp Angle	Grip Code S (New)*	7.5° ± 2.5°			
6	Front Bell Mouth		None			
7	Cut-Off Tab	а	0.3 MAX			
	- Cut On Tub	b	No Burrs			
8	Conductor Brush	а	0.55 MAX			
	Conductor Brasin	b	Not to extend above conductor crimp/ transition height			
9	Conductor Strip Length	0.13mm² Wire 2.9 for reference 0.13mm² Wire (New)* 3.6 for reference 0.22mm² Wire 2.9 for reference 0.35mm² Wire 3.1 for reference				
10	Conductor Crimp Height		See Table 2			
11	Conductor Crimp Width		See Table 2			
12	Insulation Crimp Height		See Table 2			
13	Insulation Crimp Width		See Table 2			
14	Conductor Anvil Flash	0.1 MAX				
15	Insulation Grip Step From J1-J2 (see Figure 9)	Grip Codes S and M Grip Code L	0.00 ± 0.05 0.03 ± 0.05			
16	Wing Dissymmetry		0.20 MAX			
17	Space Between Wing Tips and Crimp Bottom	Wire ≤ 0.22mm ² Wire ≥ 0.35mm ²	No contact 0.10 MIN			
18	Crimp Bulge		1.07 MAX			
19	Crimp Bulge*	a b	0.10 MAX Must not be 0.05 above or 0.15 below datum J			

^{*} P/N 560023-0444/0445

			TEMPLA	TE FILENAME: AS-3473	35-002.docm Rev.B
AS-560023-001		J.Burgio	K.Putnam	T.Sm	ith
DOCUMENT NUMBER:		CREATED / REVISED BY:	CHECKED BY:	<u>APPROV</u>	ED BY:
E2	DATE: 02/23/2017	APPLICATI	9 of 19		
Ea	EC No: 113841	CTX50 UN-S		0 -4 10	
REVISION:	ECR/ECN INFORMATION:				SHEET No.



4.0 REFERENCE DOCUMENTS

Reference documentation for general practices is located on the website per the below links:

- 1. Molex Quality Crimping Handbook http://www.molex.com/images/products/apptool/qual_crimp.pdf
- 2. Molex-Recognizing Good Crimps http://www.molex.com, search for Application Tooling

5.0 PROCEDURE

5.1 GENERAL MEASUREMENT AND EVALUATION REQUIREMENTS Crimp Height Measurement (Anvil Flash Evaluation)

- 1. Complete tool set-up procedure.
- 2. Crimp a minimum of 5 samples.
- 3. Place the flat blade of the crimp micrometer across the center of the dual radii of the conductor crimp. Do not take the measurement near the conductor bell mouth (see Figure 13).
- 4. Rotate the micrometer dial until the point contacts the bottom most radial surface. If using a caliper, be certain not to measure the conductor anvil flash (extrusions) of the crimp (see Figure 14).




Figure 13

Figure 14


6.0 CRIMP TOOLING GEOMETRY

The crimp tooling information shown below defines the tooling used by Molex to perform validation testing to establish recommended crimp height and widths. The user is responsible for validating crimp performance based on tooling, equipment and wire that is being used.

E2	ECR/ECN INFORMATION: EC No: 113841 DATE: 02/23/2017		EALED RECEPTAC ON SPECIFICATIO		10 of 19
DOCUMENT NUMBER:		CREATED / REVISED BY:	CHECKED BY:	APPROV	ED BY:
AS-560023-001		J.Burgio	K.Putnam	T.Smith	
TEMPLATE FILENAME: AS-34735-002.docm Rev.B					

molex


APPLICATION SPECIFICATION




NOTE:

CONTOUR GROUND, POLISHED, AND BUFFED TO A 0.5-2.0 MICRO/IN. FINISH

WHEN POLISHING, CARE MUST BE TAKEN TO ENSURE THAT THE TIP CREATED BY THE TWO RADII MAINTAINS DEFINITION, SYMMETRY, AND SHARPNESS






NOTE:

CONTOUR GROUND, POLISHED, AND BUFFED TO A 0.5-2.0 MICRO/IN. FINISH

Figure 16
Conductor (Top) and Insulator (Bottom)
Punch Tooling Grip Size S
P/N 560023-0444/0445 ONLY



4 PLACES
3 PLACES

2 PLACES

1 PLACE

ANGULAR

REVISION: ECR/ECN INFORMATION:

E2

EC No: 113841

DATE: 02/23/2017

CTX50 UN-SEALED RECEPTACLE APPLICATION SPECIFICATION

SHEET No.

11 of **19**

DOCUMENT NUMBER:

AS-560023-001

CREATED / REVISED BY:

J.Burgio

CHECKED BY: K.Putnam

APPROVED BY: T.Smith

± ---


± _ _ _

± 0.13

± 0.25 ± ---

± 0.5





<u> </u>			
DOCUMENT NUMBER:	CREATED / REVISED BY:	CHECKED BY:	APPROVED BY:
AS-560023-001	J.Burgio	K.Putnam	T.Smith



4.47 REF.

0.394 REF.


- 4.42 REF. 0.08 MIN TIP AFTER POLISH

R 4.00

R 0.20 ±0.01 (2)

3.89 T.S.C. 5.25 ± 0.03

R0.02




SECTION Z-Z

NOTE:

E2

CONTOUR GROUND, POLISHED, AND BUFFED TO A 0.5-2.0 MICRO/IN. FINISH

WHEN POLISHING, CARE MUST BE TAKEN TO ENSURE THAT THE TIP CREATED BY THE TWO RADII MAINTAINS DEFINITION, SYMMETRY, AND SHARPNESS



REVISION: ECR/ECN INFORMATION:

> EC No: 113841

CTX50 UN-SEALED RECEPTACLE APPLICATION SPECIFICATION

30(2)

1.00 +0.03 -

TANGENT POINTS

SHEET No.

± ---

± _ _ _

± 0.25 |± ---

± 0.5°

INCH

R 0.25 TYP

13 of **19**

DOCUMENT NUMBER: CHECKED BY: AS-560023-001 J.Burgio **K.Putnam**

T.Smith

- 15°(2)

TEMPLATE FILENAME: AS-34735-002.docm Rev.B

APPROVED BY:

GENERAL TOLERANCE

DEC. PLCS.

4 PLACES

3 PLACES

2 PLACES

1 PLACE

ANGULAR

UNLESS OTHERWISE SPECIFIED

 ± 0.13

mm

-2.40 ± 0.03

NOTE: CONTOUR GROUND, POLISHED, AND BUFFED TO A 0,5-2,0 MICRO/IN. FINISH

1.5° (2) R 0.25 TYP 15° (2) 0.80 ± 0.01 TANGENT POINTS R 0.50 BREAK SHARP EDGE ALONG CONTOUR R 0.00 +.13/-.00 X 45° MAX (FRONT AND REAR) R5.00_(2) 6.00±0.03 4.00 -TO SHARP-


Figure 18 Conductor (Top) and Insulator (Bottom) Punch Tooling Grip Size S ONLY P/N 560023-0422/0424 ONLY

DATE: 02/23/2017

CREATED / REVISED BY:


molex

APPLICATION SPECIFICATION



molex

APPLICATION SPECIFICATION








Figure 21 Conductor Anvil Geometry – All Grip Sizes Except P/N 560023-0444/0445

Figure 22 Insulator Anvil Geometry – All Grip Sizes Except P/N 560023-0444/0445




Figure 23Anvil Step
Except P/N 560023-0444/0445

GENERAL 7	COLERAN	Œ				
UNLESS OTHERWISE SPECIFIED						
OIVLL 33 0	I ILI VIII DE	טו בכוו ובט				
DEC. PLCS.	mm	INCH				
4 PLACES	±	±				
3 PLACES	±	±				
2 PLACES	± 0.13	±				
1 PLACE	± 0.25	±				
ANGULAR	± ().5°				

	i able 4	
(see Figure	es 21-23 for	aeometry)

Grip Size	M ±0.01	N ±0.01	P ±0.01	R ±0.03	S ±0.03	T ±0.03	U +0 -0.03	V ±0.05	Y (REF)
S	0.10	3.45	0.80	0.65	0.10	2.20	0.96	0.62	0.02
M	0.12	3.45	1.02 +0.00 -0.01	0.87	0.11	2.20	1.06	0.69	0.02
L	0.12	3.95	1.02 +0.00 -0.01	0.87	0.29 ±0.025	2.00 ±0.025	1.321 ±0.013	0.611±0.025	0.03

REVISION:	ECR/ECN INFORMATION: EC No: 113841 DATE: 02/23/2017		CTX50 UN-SEALED RECEPTACLE APPLICATION SPECIFICATION				
DOCUMENT NUMBER:		CREATED / REVISED BY:	CHECKED BY:	APPROVED BY:			
AS-560023-001		J.Burgio	K.Putnam	T.Smith			



7.0 CRIMP STRAIGHTNESS

A sample method for maintaining crimp straightness is shown in Figure 24 below.




Figure 24

E2	ECR/ECN INFORMATION: EC No: 113841 DATE: 02/23/2017		CTX50 UN-SEALED RECEPTACLE APPLICATION SPECIFICATION			
DOCUMEN	T NUMBER:	CREATED / REVISED BY:	CHECKED BY:	<u>APPROV</u>	ED BY:	
AS	S-560023-001	J.Burgio	K.Putnam	T.Sm	nith	



8.0 APPLICATION TOOLING

Application Tooling for the CTX50 Receptacle Terminal can be obtained directly from Molex.

To find the proper and latest Molex Application Tooling

- 1. Go to http://www.molex.com
- 2. Enter the terminal / connector part number into the search box and select the "Go" button.
 - a. Molex part numbers can also be found by searching on the product description.
- 3. Review the Application Tooling available on the right side of the product window.
 - a. It may be necessary to scroll down on the right side of the terminal / connector product page to view all the tooling options.
 - b. Hand tools and manual type tools require the loose terminal / connector part number to be used in the search.
 - c. Applicator or semi-automatic type tools require the reeled terminal / connector part number to be used in the search.
- 4. Select the tool part number link
- 5. Review the tooling page for general tool information
- 6. Open the link for the Application Tooling Specification (ATS) (located on the left under *Specifications & Other Documents*) for additional details such as:
 - a. Termination specifications: crimp height, pull force, wire strip length, insulation diameter, etc.
 - b. Tool information: tool diagram, tool parts list, repair parts, perishable parts list.
- 7. Order Molex Application Tooling through your preferred distributor

Notes:

- 1. Hand crimp tooling can only be used with certain wires and terminal part numbers. Check the Application Tooling Specification Sheet on the Molex website for details.
- 2. Application Tooling product numbers are subject to change without prior notice. Customers are advised to check the Molex website for the most up-to-date information.
- 3. Molex FineAdjust™ and MiniMac™ Application Tooling requires the use of left payoff ("D" Wind) parts.

	ECR/ECN INFORMATION: EC No: 113841 DATE: 02/23/2017		EALED RECEPTAC		18 of 19
DOCUMENT NUMBER:		CREATED / REVISED BY:	CHECKED BY:	APPROV	ED BY:
AS-560023-001		J.Burgio	K.Putnam	T.Sm	nith
			TEMPI A	TE EII ENAME: AS-347	35-002 docm Rev B



molex APPLICATION SPECIFICATION

Application Spec Revision Log

Change	Ву	Date	Revision Number
Added min tip dimension and radius of tip for small grip conductor punch, and changed value to 0.10 for medium and large grip conductor punches. All crimp tooling drawings updated to reflect current AH tooling. Added dimensions for Anvil Step of crimp tooling. Insulation Grip Step tolerance increased to ±0.05. Crimp Bulge (balloon 17) changed to 1.07 MAX. Table 3: Removed rolling requirement. Twisting requirement increased to 2° MAX.	JBurgio	07/19/2016	D
Addition of new small grip part number specifications, crimp tooling views, and crimp bulge requirements. Updates to Figure 4, Figure 12, Table 2, Table 3, and Section 6.	JBurgio	11/03/2016	E
Corrected missing flat to flat dimension on figures 19 & 20. Addition of FLR13Y-A wire in Table 2.	JBurgio	12/20/2016	E1
Insulator punch tooling thickness reduced for P/N 560023-0444/0445; Figure 16. Revision is "steel safe".	JBurgio	02/23/2017	E2

E2	ECR/ECN INFORMATION: EC No: 113841 DATE: 02/23/2017	CTX50 UN-SEALED RECEPTACLE	19 of 19		
DOCUMENT NUMBER:		CREATED / REVISED BY:	CHECKED BY:	APPROVED BY:	
AS-560023-001		J.Burgio	K.Putnam	T.Smith	