
т	ם ا	п –	<u> </u>	0







LAYOUT SHOWN AS

Keying Shown as example

CHARACTERISTICS

BASIC SERIES:

SHELL SIZE : 15

PLATING : F = Nickel

Н

SHELL TYPE : Square Flange Receptacle

CONTACT TYPE : Standard Crimp Contact

ယ

-Standard : Based on MIL-DTL-38999 Series III

	-Shell Material	: Aluminium			
	-Shell Plating	: Nickel			
	-Insulator	: Thermoplastic			
	-Contacts	: Copper Alloy			
	-Seals & Grommet	: Silicon Elastomer			
\sim	-Contact Plating	: Gold over copper Alloy 0.8μm minimum			
	-Durability	: 500 Mating cycles	V١		
	-Delivered with Souria	-Delivered with Souriau contacts and Accessories			
	-Temperature Range	65°C to +200°C			
	-Salt Spray	: 48 hours			
	-Mass	: 24.88 g ± 10%			

8D 0

G

15

F

05

S

F

С

Connector dimension			
Dim	Nominal		
Р	3.25±0.2		
РР	4.39±0.2		
R1	24.61		
R2	23.01		
S	31±0.3		
V	20.83+0/-1.25		
W	2.1/2.5		
Z	31.5 Max		
VV THREAD	M22x1-6g		


ORIENTATION : C

CONTACT LAYOUT : 15-05

CONTACT TYPE : SOCKET(500 Matings)

Е

SOURIAU shall not be liable for a due to a use of the Products w the Specifications issued by either (professional recommend



σ		A			
				4	
AS EXAMPLE				3	
any non-conform which does not co of the Parties or ndation, technical r untry Juris R JURTS	omply with by a third part			2	
				-	
	CLICTORAC		MOD N°		
r NPRDS / PROJECT					
	859				
.COM This document is the property of SOURIAU it must not be reproduced or communicated without permission					
U DRG N° 5F05SC-C					
B		А		J	

		G	н г	m	D	0
		Contact Layout				Panel Cutor
4	د. 	$E \oplus + \Phi^{B} + \Phi^{B} + X$ $D \oplus D \oplus C$ Contacts (Insert arrangement 15-5)			Ā	SQUARE FLANGE RECEPTACLE (TYPE 0) REAR MOUNTING
		X-axis Y-axis (mm) (mm) +.000 (0.00) +.100 (2.54) +.174 (4.42) +.024 (0.61) +.094 (2.39) 148 (3.76) 094 (2.39) 148 (3.76) 174 (4.42) +.024 (0.61)			2	ØT
ယ						Dim ØA ØAA R1 ØT
						SOURIAU shall not be liable for an due to a use of the Products wh the Specifications issued by either o (professional recommendat
N						Countr FR
						PN: 8D015
					ISS DATE Designed By:	Latest modification - by Date:
					TITLE	Aluminiun
_					SCALE NA	General linear Tolerances:
					SOURIA	U WWW.SOURIAU.C
					FORMAT A3	SOURIAU 8D015F
	Н	G	F	E	D	C

