
			0	Φ	A]
A Z D D D D D D D D D D D D D D D D D D							4
							3
			LAYOUT SHOWN A	S EXAMPLE			
	Keying Shown as example						
CHARACTERISTICS	Connector dimension						
-Standard : Based on MIL-DTL-38999 Series III	Dim Nominal ØS 29.4 Max						<u> </u>
-Shell Material : Aluminium -Shell Plating : Nickel	Z 31 Max		SOURIAU shall not be liable for due to a use of the Products				
-Shell Plating : Nickel -Insulator : Thermoplastic	VV THREAD M18x1-6g		the Specifications issued by eithe				
-Contacts : Copper Alloy			(professional recommen				
-Seals & Grommet : Silicon Elastomer							
► Contact Plating : Gold over copper Alloy 0.8µm minimum				ntry Jurisdiction a R Not	& Control List .isted		2
-Durability : 500 Mating cycles				1			
-Delivered with Souriau contacts and Accessories		PN: 8D513F04BC					
-Temperature Range65°C to +200°C							-
-Salt Spray : 48 hours		A 17-10-2016	First Release				
		ISS DATE	Latest modification - by Date:	0.00		MOD N°	-
		Designed By:					-
		TITLE	Alum	iinium Plug 8D ser	ies		
BASIC SERIES: 8D 5 - 13 F 04	B C	SCALE	General linea Tolerances:		PRDS / PROJECT 859		-
→ SHELL TYPE : Plug with RFI Shielding		NA		·	This document is the propert	ty of	1
CONTACT TYPE : Standard Crimp Contact SHELL SIZE : 13	CONTACT TYPE SOURIAU SOURIAU SOURIAU SOURIAU CONTACT TYPE Standard Crimp Contact SOURIAU SOURIAU it must not be reproduced on the provided on the pro						
PLATING : F = Nickel		-				SHEET	-
	CONTACT LAYOUT : 13-04	A3		U DRG N°		1/2	
				F04BC-C		1/2	J
H G I	F I E	D	C	В	I A		

ſ	Ŧ	۵ ا	г т	m	D	0
		Contact Layout				
4	،	$ \begin{array}{c} $				
	Conta position A B C D Shell Arrangement N size no. (13 -4	+.000 (0.00) +.150 (3.81) +.146 (3.71) +.035 (0.89) +.000 (0.00) 083 (2.11) 146 (3.71) +.035 (0.89)				
ω						
	1					
						SOURIAU shall not be liable for an due to a use of the Products wl the Specifications issued by either o (professional recommenda
N						Count FR
						PN: 8D513
						16 First Release
					ISS DATE Designed By:	Latest modification - by Date:
					TITLE	Alumir
<u> </u>					SCALE NA	General linear Tolerances:
					SOURIA	U WWW.SOURIAU.C
					FORMAT A3	SOURIAU 8D513F
	Н	G	F	E	D	C



 \triangleright

σ