|   | T D  | m m                                     |                         | 0   | B   |              |  |  |
|---|--|---|-------------------------|---|---|--------------|--|--|
| 4 | Z<br>M Thread  | ØF                                      |                         |   |   | 4            |  |  |
| ယ |  |   |                         | LAYOUT SHOWN AS EXAM  | 1PLE  | 3            |  |  |
|   |  | Keying Shown as example                 |                         |   |   |              |  |  |
|   | CHARACTERISTICSStandard : Based on MIL-DTL-38999 Series III  | Connector dimensionDimNominalF19.05 Max | ]                       |   |   |              |  |  |
|   | -Shell Material: Aluminium-Shell Plating: Olive drab Cadmium-Insulator: Thermoplastic-Contacts: Copper Alloy       | F19.05 MaxZ31.5 MaxVV THREADM15x1-6g    |                         | SOURIAU shall not be liable for any no<br>due to a use of the Products which<br>the Specifications issued by either of the<br>(professional recommendation, | does not comply with<br>Parties or by a third party |              |  |  |
| N | -Seals & Grommet : Silicon Elastomer<br>-Contact Plating : Gold over copper Alloy 0.8μm minimum                    |   |                         | Country<br>FR   | Jurisdiction & Control List<br>Not Listed           | 2            |  |  |
|   | -Durability : 500 Mating cycles<br>-Delivered with Souriau contacts and Accessories                                |   |                         | PN: 8D111W9   | 9SN   |              |  |  |
|   | -Temperature Range <u>:</u> -65°C to +175°C<br>-Salt Spray : 500 hours   |   | A 27-09-2               | 2016 First Release  |   |              |  |  |
| _ |  |   | ISS DAT<br>Designed By: | E Latest modification - by<br>Date:   | CUSTOMER DRAWING                                    | MOD N°       |  |  |
|   |  |   | TITLE                   | Aluminium Ir  | Aluminium Inline plug 8D series                     |              |  |  |
|   | BASIC SERIES: 8D 1 - 11 W  | 99 S N                                  | SCALE                   | General linear<br>Tolerances:   | NPRDS / PROJECT<br><b>859</b>                       |              |  |  |
|   | SHELL TYPE : In line Receptacle     CONTACT TYPE : Standard Crimp Contact  | ORIE                                    |                         | NA ± COO   SOURIAU WWW.SOURIAU.COM This document is the property of SOURIAU it must not be reproduced or  |   |              |  |  |
|   | SHELL SIZE : 11   CONTACT TYPE : SOCKET(500 Matings)     PLATING : W = Olive drab Cadmium   CONTACT LAYOUT : 11-99 |   |                         | communicated without  |   |              |  |  |
|   |  |   | A3                      | 8D111W99  |   | SHEET<br>1/2 |  |  |
| L | H G I  | F E                                     | D                       | С   | B A   |              |  |  |

| Г        | Т  | ۵  | г | п | D                        | C  | Φ   | A                               |              | 1 |
|----------|--|--|---|---|--------------------------|--|---|---------------------------------|--------------|---|
| 4        | -X<br>Cont<br>positi   | on X-axis Y-axis   |   |   |                          |  |   |                                 |              | 4 |
|          | ID<br>A<br>B<br>C<br>D<br>E<br>F<br>G<br>Shell Arrangement Numb<br>size no. cont<br>11 -99 7 | (mm)     (mm)       +.065 (1.65)     +.113 (2.87)       +.130 (3.30)     +.000 (0.00)       +.065 (1.65)    113 (2.87)      066 (1.65)    113 (2.87)      130 (3.30)     +.000 (0.00)      065 (1.65)     +.113 (2.87)      130 (3.30)     +.000 (0.00)      065 (1.65)     +.113 (2.87)       +.000 (0.00)     +.000 (0.00) |   |   |                          |  |   |                                 | -            |   |
| ω        |  |  |   |   |                          |  |   |                                 |              | 3 |
|          | _  |  |   |   |                          | due to a use of the Pro<br>the Specifications issued by                            | le for any non-conformity or da<br>ducts which does not comply w<br>either of the Parties or by a thi<br>nmendation, technical notice.) | vith                            |              |   |
| N        |  |  |   |   | A 27-09-2016             | PN: 8D   | Country Jurisdiction & R Not L  |                                 |              | 2 |
|          |  |  |   |   | ISS DATE<br>Designed By: | Latest modification - by<br>Date:  |   | OMER DRAWING                    | MOD N°       |   |
| <u> </u> |  |  |   |   | SCALE .                  |  |   | Series<br>PRDS / PROJECT<br>859 |              | 1 |
|          |  |  |   |   | SOURIAU                  | AU WWW.SOURIAU.COM<br>it must not be reproduced of<br>communicated without permiss |   |                                 |              |   |
|          |  |  |   |   | A3                       |  | 11W99SN-C   |                                 | SHEET<br>2/2 |   |
| L        | Н  | G  | F | E | D                        | С  | В   | Α                               |              |   |