
Ŧ	۵	п –	m	0







LAYOUT SHOWN AS

Keying Shown as example

CHARACTERISTICS

BASIC SERIES:

SHELL SIZE : 11

PLATING : F = Nickel

Н

SHELL TYPE : Square Flange Receptacle

CONTACT TYPE : Standard Crimp Contact

ယ

 \sim

-Standard : Based on MIL-DTL-38999 Series III

-Shell Material : Aluminium : Nickel -Shell Plating -Insulator : Thermoplastic -Contacts : Copper Alloy : Silicon Elastomer -Seals & Grommet -Contact Plating : Gold over copper Alloy 0.8µm minimum -Durability : 500 Mating cycles -Delivered with Souriau contacts and Accessories : -65°C to +200°C -Temperature Range -Salt Spray : 48 hours -Mass : 14.18 g ± 10%

8D 0

G

11

F

02

В

F

А

P 3.25±0.2 PP 4.93±0.2 R1 20.62 R2 18.26 S 26.2±0.3 V 20.83+0/-1.25 W 2.1/2.5 Z 31.5 Max VV M15x1-6g	Dim	Nominal
R1 20.62 R2 18.26 S 26.2±0.3 V 20.83+0/-1.25 W 2.1/2.5 Z 31.5 Max	Р	3.25±0.2
R2 18.26 S 26.2±0.3 V 20.83±0/-1.25 W 2.1/2.5 Z 31.5 Max	PP	4.93±0.2
S 26.2±0.3 V 20.83+0/-1.25 W 2.1/2.5 Z 31.5 Max	R1	20.62
V 20.83+0/-1.25 W 2.1/2.5 Z 31.5 Max	R2	18.26
W 2.1/2.5 Z 31.5 Max	S	26.2±0.3
Z 31.5 Max	V	20.83+0/-1.25
	W	2.1/2.5
V THREAD M15x1-6g	Z	31.5 Max
0	VV THREAD	M15x1-6g


ORIENTATION : A

CONTACT LAYOUT : 11-02

CONTACT TYPE : SOCKET(500 Matings)

Е

SOURIAU shall not be liable for due to a use of the Products the Specifications issued by either (professional recommend



σ		Þ				
				4		
AS EXAMPLE				3		
	mply with by a third part otice.) diction & Cont			0		
1F02BA	Not Listed			2		
	CUSTOME	R DRAWING	MOD N°	 		
Im Receptacle 8D series						
ar :	NPRDS / PROJECT 859					
J.COM	This document is the property of					
U DRG N°			SHEET			
.F02BA-C		A	1/2	J		
_	1					

ſ	т	۵		П	m	D	0
		Contact Layout					Panel Cuto
4	 0. (2.	+Y IB IA +X 95 (2.4imm)				Σ	SQUARE FLANGE RECEPTACLE (TYPE 0) REAR MOUNTING
	Shell Arrangement size no. 11 -2	ion X-axis Y-axis (mm) (mm) + .095 (2.41) + .000 (.00) 095 (2.41) +.000 (.00)	Contact location All			Į.	Dim
ω							ØA ØAA R1 ØT
	-						SOURIAU shall not be liable for a due to a use of the Products w the Specifications issued by either (professional recommendation)
N							Coun FR PN: 8D011
						A 14-10-2 ISS DAT Designed By:	016 First Release E Latest modification - by Date:
_ _						SCALE NA	Aluminiu General linear Tolerances: ±
						SOURIA	
	Н	G		F	E	FORMAT A3	SOURIAU 8D011F
	П		I	Г		\bigvee	

