

## **Specification Sheet**

Part Number: RJ45FC6B-W



| Article Number      | 852-25068   |
|---------------------|---|
| Туре                | RJ45FC6   |
| Color               | White (WH)  |
| Features & Benefits | <ul> <li>Category 6 jack has been uniquely designed adopting HellermannTyton's globally tried and tested 10-Pin technology which guarantees superior performance and connectivity.</li> <li>Standard keystone style interface provides flexibility in connecting components.</li> <li>Unique strain relief design secures cable terminations.</li> <li>Configured to both TIA 568A and 568B wiring schemes for installation versatility.</li> <li>Available in 12 colors for easy color coding identification.</li> </ul> |
| Quantity Per        | box   |

| Product Description   | HellermannTyton's GigaBand flush Category 6 modular jack is designed to "future proof" installations. Its patented design uses innovative crosstalk-cancellation technology. The performance of the GigaBand system provides significant margin over TIA Category 6 (ANSI/TIA-568-C.1) and ISO Class E (ISO/IEC-11801, 2nd edition) requirements. The GigaBand system will easily support applications such as Gigabit Ethernet. ETL tested and approved for Category 6 component compliance. |
|-----------------------|---|
| Short Description     | Category 6 Modular Keystone Jack Bulk Pack, White, 50/box   |
| Global Part Name      | RJ45FC6   |
| Technical Description | The performance of the Category 6 system provides significant margin over TIA Category 6 and ISO/IEC 11801 Class D requirements. Adapters are available to enable the keystone jack to be assembled with the GigaBand/Alpha Snap shuttered outlet and 6C angled module.   |
|                       |   |
| Port Count            | 1   |
| Width W (Imperial)    | 15.75   |
| Width W (Metric)      | 19.0  |
| Height H (Imperial)   | 15.91   |
| Height H (Metric)     | 23.0  |
| Depth D (imperial)    | 1.65  |
| Depth D (metric)      | 42.0  |
|                       |   |

| Customs Number  | 9030400000 |
|-----------------|------------|
| Weight (Metric) | 0.500      |

50

Package Quantity (Metric)

Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions

<sup>© 2018</sup> HellermannTyton. All rights reserved.