

т	۵	н п	m	0







LAYOUT SHOWN AS

Keying Shown as example

CHARACTERISTICS

BASIC SERIES:

SHELL SIZE : 11

PLATING : F = Nickel

Н

SHELL TYPE : Square Flange Receptacle

CONTACT TYPE : Standard Crimp Contact

ယ

 \sim

-Standard : Based on MIL-DTL-38999 Series III

-Shell Material : Aluminium : Nickel -Shell Plating -Insulator : Thermoplastic -Contacts : Copper Alloy : Silicon Elastomer -Seals & Grommet -Contact Plating : Gold over copper Alloy 0.8µm minimum -Durability : 500 Mating cycles -Delivered with Souriau contacts and Accessories : -65°C to +200°C -Temperature Range : 48 hours -Salt Spray -Mass : 11.64 g ± 10%

8D 0

G

11

F

02

А

F

Ν

Dim	Nominal		
Р	3.25±0.2		
PP	4.93±0.2		
R1	20.62		
R2	18.26		
S	26.2±0.3		
V	20.83+0/-1.25		
W	2.1/2.5		
Z	31.5 Max		
VV THREAD	M15x1-6g		


ORIENTATION : N

CONTACT TYPE : PIN(500 Matings)

Е

CONTACT LAYOUT : 11-02

SOURIAU shall not be liable for a due to a use of the Products the Specifications issued by either (professional recommend



Ξ							
		4					
AS EXAMPLE		3					
any non-conformity or damage which does not comply with er of the Parties or by a third party idation, technical notice.)							
1F02AN	Not Listed						
	CUSTOMER DRAWING						
um Recepta	im Receptacle 8D series						
ar	NPRDS / PROJECT 859						
I.COM	.COM This document is the property of SOURIAU it must not be reproduced or communicated without permission						
U DRG N F02AN-C	UDRG N° SHEET						
B	A	J					

ſ	т	G		П	m		0
		Contact Layout					Panel Cuto
4	 0. (2.	+Y IB IA +Y +X +X 95 (2.4imm)				22	SQUARE FLANGE RECEPTACLE (TYPE 0) REAR MOUNTING
	Shell Arrangement size no. 11 -2	ion X-axis Y-axis (mm) (mm) + .095 (2.41) +.000 (.00) 095 (2.41) +.000 (.00)	Contact location All			Y	Dim
ω							ØA ØAA R1 ØT
	+						SOURIAU shall not be liable for ar due to a use of the Products w the Specifications issued by either o (professional recommenda
N							Count FR PN: 8D011
						A 14-10-2 ISS DAT Designed By:	2016 First Release E Latest modification - by Date:
_ →						SCALE NA	Aluminiur General linear Tolerances: ±
						FORMAT	
		1			1	A3	SOURIAU 8D011F
	Н	G		F	E \	D	C

